

Message

From: Klassman, Debra [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=E49E3A7E2EFA47AC8EE2D6FAA750605E-DKCLASSMA]
Sent: 9/12/2018 6:22:38 PM
To: Heilman, Cheryl W - DNR [Cheryl.Heilman@wisconsin.gov]; Mikalian, Charles [mikalian.charles@epa.gov]
CC: Zellmer, James A - DNR [James.Zellmer@wisconsin.gov]
Subject: RE: Revised Draft Letter to AGC

Yes, we'll speak with you soon.

From: Heilman, Cheryl W - DNR [mailto:Cheryl.Heilman@wisconsin.gov]
Sent: Wednesday, September 12, 2018 1:20 PM
To: Klassman, Debra <klassman.debra@epa.gov>; Mikalian, Charles <mikalian.charles@epa.gov>
Cc: Zellmer, James A - DNR <James.Zellmer@wisconsin.gov>
Subject: RE: Revised Draft Letter to AGC

That works. I'll plan that you will call me. Cheryl

We are committed to service excellence.

Visit our survey at <http://dnr.wi.gov/customersurvey> to evaluate how I did.

Cheryl W. Heilman
Phone: (608) 266-0235
Cheryl.heilman@wisconsin.gov

CONFIDENTIALITY: This message may contain information which, by law, is privileged, confidential or exempt from disclosure. Contact the sender for permission prior to disclosing the contents of this message to any other person.

This message is intended solely for the use of the addressee. If you are not the addressee, you are hereby notified that any use, distribution or copying of this message is strictly prohibited. If you received this message in error, please notify us by reply e-mail or by telephone and immediately delete this message and any/all of its attachments.

From: Klassman, Debra <klassman.debra@epa.gov>
Sent: Wednesday, September 12, 2018 1:20 PM
To: Heilman, Cheryl W - DNR <Cheryl.Heilman@wisconsin.gov>; Mikalian, Charles <mikalian.charles@epa.gov>
Cc: Zellmer, James A - DNR <James.Zellmer@wisconsin.gov>
Subject: RE: Revised Draft Letter to AGC

Chuck and I were just asked to be on a call that should end about 2:00 p.m. May we call you after that?

From: Heilman, Cheryl W - DNR [mailto:Cheryl.Heilman@wisconsin.gov]
Sent: Wednesday, September 12, 2018 1:13 PM
To: Klassman, Debra <klassman.debra@epa.gov>; Mikalian, Charles <mikalian.charles@epa.gov>
Cc: Zellmer, James A - DNR <James.Zellmer@wisconsin.gov>
Subject: RE: Revised Draft Letter to AGC

I am available until 2:30 today. Is there a number I should use or would you like to call me at 608-266-0235? Let me know. Cheryl

We are committed to service excellence.

Visit our survey at <http://dnr.wi.gov/customersurvey> to evaluate how I did.

Cheryl W. Heilman
Phone: (608) 266-0235
Cheryl.heilman@wisconsin.gov

CONFIDENTIALITY: This message may contain information which, by law, is privileged, confidential or exempt from disclosure. Contact the sender for permission prior to disclosing the contents of this message to any other person.

This message is intended solely for the use of the addressee. If you are not the addressee, you are hereby notified that any use, distribution or copying of this message is strictly prohibited. If you received this message in error, please notify us by reply e-mail or by telephone and immediately delete this message and any/all of its attachments.

From: Klassman, Debra <klassman.debra@epa.gov>
Sent: Tuesday, September 11, 2018 12:39 PM
To: Heilman, Cheryl W - DNR <Cheryl.Heilman@wisconsin.gov>; Mikalian, Charles <mikalian.charles@epa.gov>
Cc: Zellmer, James A - DNR <James.Zellmer@wisconsin.gov>
Subject: RE: Revised Draft Letter to AGC

Hello Cheryl and Jim. Do you both have some time tomorrow to discuss your changes to the letter? As it's currently redrafted, the Region cannot sign this letter.

As of now, Chuck and I have time between 1:00 p.m. and 3:00 p.m. tomorrow.

Deb Klassman

From: Heilman, Cheryl W - DNR [<mailto:Cheryl.Heilman@wisconsin.gov>]
Sent: Monday, September 10, 2018 3:44 PM
To: Mikalian, Charles <mikalian.charles@epa.gov>; Klassman, Debra <klassman.debra@epa.gov>
Cc: Zellmer, James A - DNR <James.Zellmer@wisconsin.gov>
Subject: Revised Draft Letter to AGC

Dear Counsel,

Attached please find a revised draft letter from our agencies regarding the MOU that has been proposed by AGC.

For purposes of the revised draft letter, the following terminology (as defined by AGC in their August 14 draft MOU) is used:

- Agricultural Corridor: The area west of the Wisconsin River, south of Port Edwards, north of Necedah, and east of several state natural and wildlife areas (see attached map)
- Nitrate Impacted: Private residential wells in the agricultural corridor that contain nitrates with concentrations above 10mg/L.
- Clean Water Action Plan: an in-home point-of-use water treatment system and bottled drinking water until installation of such a system for all private residences in the agricultural corridor with "nitrate impacted" wells.
- Water Treatment System: a reverse osmosis or a similar treatment system that will reduce nitrates in drinking water to below 10 mg/L to be professionally installed by a licensed professional selected by AGC. This system will be installed to provide drinking water to a spigot located at the kitchen sink and/or, depending on water pressure requirements, appliance compatibility, and the recommendation of the licensed plumber, the refrigerator.

Please give me or Jim Zellmer a call to discuss. Thank you.

Cheryl

We are committed to service excellence.

Visit our survey at <http://dnr.wi.gov/customersurvey> to evaluate how I did.

Cheryl W. Heilman
Deputy Chief Legal Counsel
Wisconsin Department of Natural Resources
Phone: (608) 266-0235
Cheryl.heilman@wisconsin.gov



CONFIDENTIALITY: This message may contain information which, by law, is privileged, confidential or exempt from disclosure. Contact the sender for permission prior to disclosing the contents of this message to any other person.

This message is intended solely for the use of the addressee. If you are not the addressee, you are hereby notified that any use, distribution or copying of this message is strictly prohibited. If you received this message in error, please notify us by reply e-mail or by telephone and immediately delete this message and any/all of its attachments.